



Potency Results

Sample Name: *Clementine*

Client: Unicorn Brand

Client Batch ID: UB-3.5-CLM

Pinnacle-Analytics.com

613 Market St

Medford OR 97504

P:(541)300-8217

Sample ID: rC-H-101-G1232-3.5

Matrix: Flower

Prep Analyst: Tori W.

Analysis Method: 0813497 H4 4-23-2026 #1.lcm

Sampling Method: N/A

Reference Method: JCB 2009: HPLC/DAD

Analysis Batch: 8-13-2026 H4 0 101, 355 Flower


Date Sampled: 8/11/2026

Date Reported: 9/23/2026

Client License: N/A

For R&D Purposes Only


Total THC (THCA*0.877+d9-THC) **0.262%**
Total CBD (CBDA*0.877+CBD) **3.99%**
Moisture Content **9.84%**



Cannabinoid	% Weight	mg/g
CBDV	<LOQ	<LOQ
CBDA	4.07	40.7
CBGA	14.6	146.0
CBG	0.891	8.91
CBD	0.429	4.29
THCV	<LOQ	<LOQ
CBN	<LOQ	<LOQ
d9-THC	0.116	1.16
d8-THC	<LOQ	<LOQ
CBC	0.193	1.93
THCA	0.166	1.66
Total Cannabinoids	20.46	205.0

*ORELAP Accredited Analyte

Limit Of Quantitation: 0.1%, analyte not measured



These test results may not be altered or reproduced except in full without the permission of Pinnacle Analytics. These results were generated following the Oregon Administrative Rules and in accordance with the NELAP Institute under ORELAP License #4152
 Report generated by Flex_Potency_Rev1_2-9-2025

Kris Ford, PhD
 Lab Director



Quality Control Results

Analyst: Tori W.

Analysis Batch: 8-13-2026 H4 0 101, 355 Flower

Pinnacle-Analytics.com

613 Market St

Medford OR 97504

P:(541)300-8217

	Duplicate RPD		LCS % Recovery		Method Blank	
	CS-0-G395-i	Limit	C-FL-081326	Limits	C-FB-081326	Limit
CBDA	3.28%	10%	101.0%	90-110%	<LOQ/2	LOQ/2
CBD	3.32%	10%	103.0%	90-110%	<LOQ/2	LOQ/2
d9-THC	3.01%	10%	101.0%	90-110%	<LOQ/2	LOQ/2
d8-THC	4.32%	10%	103.0%	90-110%	<LOQ/2	LOQ/2
THCA	3.09%	10%	106.0%	90-110%	<LOQ/2	LOQ/2


RPD: Relative Percent Difference between unknown sample and its duplicate

LCS: Laboratory Control Sample with known concentration

Case Comments: There were no divergences from ordinary Quality Control procedures or SOPs.



These test results may not be altered or reproduced except in full without the permission of Pinnacle Analytics. These results were generated following the Oregon Administrative Rules and in accordance with the NELAP Institute under ORELAP License #4152
Report generated by Flex_Potency_Rev1_2-9-2025


Kris Ford, PhD
Lab Director



Microbiology Results

Sample Name: Unicorn Brand Flower

Client: Unicorn Brand

Client Batch ID: N/A

Pinnacle-Analytics.com

613 Market St

Medford OR 97504

P:(541)300-8217

Sample ID: rB-H-101-G1334

Date Received: 09-16-2026

Matrix: Flower

Date Reported: 9-23-2026

Prep Analyst: Megan A.

Client License: N/A

Sampling Method: N/A

Reference Method: AOAC MG Salmonella & STEC Multiplex Assay

Analysis Method: Microbiological Contaminants Detection in Cannabis SOP Rev 2

Analysis Batch: 9-18-2026 q2 101, 413, 637 B

For R&D Purposes Only

Name	Lab ID	STEC	Salmonella
Unicorn Brand Flower	rB-H-101-G1334	Pass	Pass

Quality Controls


Name	Lab ID	STEC	Salmonella
Negative Control	B-BB-091626	Absent	Absent
Positive Control	B-BB-091626	Present	Present
Method Blank	B-BL-091826	Absent	Absent

There were no divergences from ordinary Quality Control procedures or SOPs.

Limit of Detection: 1 CFU



These test results may not be altered or reproduced except in full without the permission of Pinnacle Analytics. These results were generated following the Oregon Administrative Rules and in accordance with the NELAP Institute under ORELAP License #4152
Report generated by Microbio_11-9-24_Rev3


Kris Ford, PhD
Lab Director

Sample Name: **Unicorn Brand Flower G1334** License: **010-101599328A3**
 Tested for: **Pinnacle Analytics LLC** Date Sampled: **09/18/26 00:00**
Compliance Subcon Date Accepted: **09/18/26**


Laboratory ID: **26I0123-01** Strain: **N/A** Sample Metrc ID: **N/A**
 Matrix: **Useable Marijuana** Batch RFID: **N/A**
 Lot # **N/A** Batch Size: **N/A**

Pesticide Analysis in ppm

Date Extracted: 09/21/26 Analysis Method: SC-OR-ORG-003
 Date Analyzed: 09/21/26 Results above the action levels are highlighted in red #.

Analyte	Result	Action Level	LOQ	Analyte	Result	Action Level	LOQ
Abamectin	< LOQ	0.5	0.20	Acephate	< LOQ	0.4	0.16
Acequinocyl	< LOQ	2	0.80	Acetamiprid	< LOQ	0.2	0.08
Aldicarb	< LOQ	0.4	0.16	Azoxystrobin	< LOQ	0.2	0.08
Bifenazate	< LOQ	0.2	0.08	Bifenthrin	< LOQ	0.2	0.08
Boscalid	< LOQ	0.4	0.16	Carbaryl	< LOQ	0.2	0.08
Carbofuran	< LOQ	0.2	0.08	Chlorantraniliprole	< LOQ	0.2	0.08
Chlorfenapyr	< LOQ	1	0.40	Chlorpyrifos	< LOQ	0.2	0.08
Clofentezine	< LOQ	0.2	0.08	Cyfluthrin	< LOQ	1	0.40
Cypermethrin	< LOQ	1	0.40	Daminozide	< LOQ	1	0.40
DDVP (Dichlorvos)	< LOQ	1	0.40	Diazinon	< LOQ	0.2	0.08
Dimethoate	< LOQ	0.2	0.08	Ethoprophos	< LOQ	0.2	0.08
Etofenprox	< LOQ	0.4	0.16	Etoxazole	< LOQ	0.2	0.08
Fenoxycarb	< LOQ	0.2	0.08	Fenpyroximate	< LOQ	0.4	0.16
Fipronil	< LOQ	0.4	0.16	Flonicamid	< LOQ	1	0.40
Fludioxonil	< LOQ	0.4	0.16	Hexythiazox	< LOQ	1	0.40
Imazalil	< LOQ	0.2	0.08	Imidacloprid	< LOQ	0.4	0.16
Kresoxim-methyl	< LOQ	0.4	0.16	Malathion	< LOQ	0.2	0.08
Metalaxyl	< LOQ	0.2	0.08	Methiocarb	< LOQ	0.2	0.08
Methomyl	< LOQ	0.4	0.16	Methyl parathion	< LOQ	0.2	0.08
MGK-264	< LOQ	0.2	0.08	Myclobutanil	< LOQ	0.2	0.08
Naled	< LOQ	0.5	0.20	Oxamyl	< LOQ	1	0.40
Paclobutrazol	< LOQ	0.4	0.16	Permethrins (total)	< LOQ	0.2	0.08
Phosmet	< LOQ	0.2	0.08	Piperonyl butoxide	< LOQ	2	0.40
Prallethrin	< LOQ	0.2	0.08	Propiconazole	< LOQ	0.4	0.16
Propoxur	< LOQ	0.2	0.08	Pyrethrins (total)	< LOQ	1	0.40
Pyridaben	< LOQ	0.2	0.08	Spinosad	< LOQ	0.2	0.08
Spiromesifen	< LOQ	0.2	0.08	Spirotetramat	< LOQ	0.2	0.08
Spiroxamine	< LOQ	0.4	0.16	Tebuconazole	< LOQ	0.4	0.16
Thiacloprid	< LOQ	0.2	0.08	Thiamethoxam	< LOQ	0.2	0.08
Trifloxystrobin	< LOQ	0.2	0.08				

<LOQ - Results below the Limit of Quantitation


 Cecilia Condes For Breeanna
 Hamilton
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2016 Standard and SC Laboratories quality assurance plan unless otherwise noted.



Analytical Results

SC Laboratories Oregon LLC
ORELAP# 4133/OLCC# 1018619A26E
15865 SW 74th Ave Suite 110, Tigard, OR
503-272-8830
www.sclabs.com

Sample Name: **Unicorn Brand Flower G1334**
Tested for: **Pinnacle Analytics LLC**
Compliance Subcon

License: **010-101599328A3**
Date Sampled: **09/18/26 00:00**
Date Accepted: **09/18/26**

Laboratory ID: **26I0123-01** Strain: **N/A**

Sample Metrc ID: **N/A**

Matrix: **Useable Marijuana**

Batch RFID: **N/A**

Lot # **N/A**

Batch Size: **N/A**

Mycotoxin Analysis by LCMSMS

Date/Time Extracted: **09/21/26 14:45**

Analysis Method/SOP: **SC-OR-ORG-003**

Date/Time Analyzed: **09/21/26**

Results above the action levels are highlighted in **red #**.

Analyte	Result	LOQ	Units	Action Level
Aflatoxin B1	< LOQ	0.004	ppm	0.02
Aflatoxin B2	< LOQ	0.004	ppm	0.02
Aflatoxin G1	< LOQ	0.004	ppm	0.02
Aflatoxin G2	< LOQ	0.004	ppm	0.02
Aflatoxins (Total)	< LOQ	0.004	ppm	0.02
Ochratoxin A	< LOQ	0.008	ppm	0.02

Cecilia Condes For Breeanna
Hamilton
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2016 Standard and SC Laboratories quality assurance plan unless otherwise noted.



Analytical Results

SC Laboratories Oregon LLC
ORELAP# 4133/OLCC# 1018619A26E
15865 SW 74th Ave Suite 110, Tigard, OR
503-272-8830
www.sclabs.com

Sample Name: **Unicorn Brand Flower G1334**
Tested for: **Pinnacle Analytics LLC**
Compliance Subcon

License: **010-101599328A3**
Date Sampled: **09/18/26 00:00**
Date Accepted: **09/18/26**

Laboratory ID: **26I0123-01** Strain: **N/A**

Sample Metric ID: **N/A**

Matrix: **Useable Marijuana**

Batch RFID: **N/A**

Lot # **N/A**

Batch Size: **N/A**

Metals Analysis by ICPMS

Date/Time Extracted: **09/21/26 13:54**

Analysis Method/SOP: **AOAC 2013.06**

Date/Time Analyzed: **09/22/26**

Results above the action levels are highlighted in **red #**.

Analyte	Result	LOQ	Units	Action Level
Arsenic (As)	< LOQ	0.085	ug/g	0.2
Cadmium (Cd)	< LOQ	0.085	ug/g	0.2
Lead (Pb)	< LOQ	0.085	ug/g	0.5
Mercury (Hg)	< LOQ	0.043	ug/g	0.1

Cecilia Condes For Breeanna
Hamilton
Lab Director


These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2016 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control

Pesticide Analysis

Batch: B263143 - Pesticide Prep

Blank(B263143-BLK1)			Extracted - 09/21/26 14:45 Analyzed - 09/21/26 18:46					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Abamectin	< LOQ	ppm						
Acephate	< LOQ	ppm						
Acequinocyl	< LOQ	ppm						
Acetamiprid	< LOQ	ppm						
Aldicarb	< LOQ	ppm						
Azoxystrobin	< LOQ	ppm						
Bifenazate	< LOQ	ppm						
Bifenthrin	< LOQ	ppm						
Boscalid	< LOQ	ppm						
Carbaryl	< LOQ	ppm						
Carbofuran	< LOQ	ppm						
Chlorantraniliprole	< LOQ	ppm						
Chlorfenapyr	< LOQ	ppm						
Chlorpyrifos	< LOQ	ppm						
Clofentezine	< LOQ	ppm						
Cyfluthrin	< LOQ	ppm						
Cypermethrin	< LOQ	ppm						
Daminozide	< LOQ	ppm						
DDVP (Dichlorvos)	< LOQ	ppm						
Diazinon	< LOQ	ppm						
Dimethoate	< LOQ	ppm						
Ethoprophos	< LOQ	ppm						
Etofenprox	< LOQ	ppm						
Etoxazole	< LOQ	ppm						
Fenoxycarb	< LOQ	ppm						
Fenpyroximate	< LOQ	ppm						
Fipronil	< LOQ	ppm						
Flonicamid	< LOQ	ppm						
Fludioxonil	< LOQ	ppm						
Hexythiazox	< LOQ	ppm						
Imazalil	< LOQ	ppm						
Imidacloprid	< LOQ	ppm						
Kresoxim-methyl	< LOQ	ppm						
Malathion	< LOQ	ppm						
Metalaxyl	< LOQ	ppm						


 Cecilia Condes For Breeanna
 Hamilton
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2016 Standard and SC Laboratories quality assurance plan unless otherwise noted.


Quality Control

Pesticide Analysis (Continued)

Batch: B263143 - Pesticide Prep (Continued)

Blank(B263143-BLK1)			Extracted - 09/21/26 14:45 Analyzed - 09/21/26 18:46					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Methiocarb	< LOQ	ppm						
Methomyl	< LOQ	ppm						
Methyl parathion	< LOQ	ppm						
MGK-264	< LOQ	ppm						
Myclobutanil	< LOQ	ppm						
Naled	< LOQ	ppm						
Oxamyl	< LOQ	ppm						
Paclobutrazol	< LOQ	ppm						
Permethrins (total)	< LOQ	ppm						
Phosmet	< LOQ	ppm						
Piperonyl butoxide	< LOQ	ppm						
Prallethrin	< LOQ	ppm						
Propiconazole	< LOQ	ppm						
Propoxur	< LOQ	ppm						
Pyrethrins (total)	< LOQ	ppm						
Pyridaben	< LOQ	ppm						
Spinosad	< LOQ	ppm						
Spiromesifen	< LOQ	ppm						
Spirotetramat	< LOQ	ppm						
Spiroxamine	< LOQ	ppm						
Tebuconazole	< LOQ	ppm						
Thiacloprid	< LOQ	ppm						
Thiamethoxam	< LOQ	ppm						
Trifloxystrobin	< LOQ	ppm						

LCS(B263143-BS1)			Extracted - 09/21/26 14:45 Analyzed - 09/21/26 19:02					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Abamectin	2.25	ppm	1.95		115	50-150		
Acephate	2.00	ppm	2.00		100	60-120		
Acequinocyl	2.14	ppm	2.00		107	40-160		
Acetamiprid	2.07	ppm	2.00		103	60-120		
Aldicarb	1.61	ppm	2.02		79.8	60-120		
Azoxystrobin	1.99	ppm	2.00		99.5	60-120		
Bifenazate	1.99	ppm	2.00		99.3	60-120		
Bifenthrin	2.37	ppm	2.00		118	50-150		


 Cecilia Condes For Breeanna
 Hamilton
 Lab Director


These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2016 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control

Pesticide Analysis (Continued)

Batch: B263143 - Pesticide Prep (Continued)

LCS(B263143-BS1)			Extracted - 09/21/26 14:45 Analyzed - 09/21/26 19:02					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Boscalid	2.03	ppm	2.00		102	60-120		
Carbaryl	2.09	ppm	2.00		104	60-120		
Carbofuran	2.03	ppm	2.00		101	60-120		
Chlorantraniliprole	2.20	ppm	2.02		109	60-120		
Chlorfenapyr	2.07	ppm	2.00		104	60-120		
Chlorpyrifos	1.88	ppm	2.00		93.8	60-120		
Clofentezine	2.10	ppm	2.02		104	60-120		
Cyfluthrin	2.28	ppm	2.00		114	50-150		
Cypermethrin	2.39	ppm	2.00		120	50-150		
Daminozide	2.00	ppm	2.02		99.1	60-120		
DDVP (Dichlorvos)	1.96	ppm	2.00		97.8	60-120		
Diazinon	2.08	ppm	2.00		104	60-120		
Dimethoate	2.00	ppm	2.00		100	60-120		
Ethoprophos	2.01	ppm	2.00		101	60-120		
Etofenprox	2.02	ppm	2.00		101	50-150		
Etoxazole	2.07	ppm	2.00		104	60-120		
Fenoxycarb	2.16	ppm	2.00		108	60-120		
Fenpyroximate	2.25	ppm	2.00		113	60-120		
Fipronil	1.95	ppm	2.02		96.7	60-120		
Flonicamid	2.30	ppm	2.02		114	60-120		
Fludioxonil	1.83	ppm	2.00		91.3	50-150		
Hexythiazox	2.37	ppm	2.00		119	60-120		
Imazalil	2.03	ppm	2.00		102	60-120		
Imidacloprid	2.08	ppm	2.00		104	60-120		
Kresoxim-methyl	2.13	ppm	2.00		106	60-120		
Malathion	2.06	ppm	2.00		103	60-120		
Metalaxyl	2.17	ppm	2.00		109	60-120		
Methiocarb	2.05	ppm	2.00		102	60-120		
Methomyl	1.87	ppm	2.00		93.7	60-120		
Methyl parathion	2.03	ppm	2.02		101	50-150		
MGK-264	2.32	ppm	2.00		116	50-150		
Myclobutanil	1.96	ppm	2.00		97.8	60-120		
Naled	2.01	ppm	2.00		101	50-150		
Oxamyl	1.96	ppm	2.00		98.1	60-120		
Paclobutrazol	2.11	ppm	2.02		104	60-120		


 Cecilia Condes For Breeanna
 Hamilton
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2016 Standard and SC Laboratories quality assurance plan unless otherwise noted.


Quality Control

Pesticide Analysis (Continued)

Batch: B263143 - Pesticide Prep (Continued)

LCS(B263143-BS1)			Extracted - 09/21/26 14:45 Analyzed - 09/21/26 19:02					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Permethrins (total)	1.96	ppm	2.00		97.8	50-150		
Phosmet	2.16	ppm	2.00		108	50-150		
Piperonyl butoxide	2.14	ppm	2.00		107	60-120		
Prallethrin	2.35	ppm	2.02		116	60-120		
Propiconazole	2.22	ppm	2.00		111	60-120		
Propoxur	1.95	ppm	2.00		97.5	60-120		
Pyrethrins (total)	1.46	ppm	1.22		119	60-120		
Pyridaben	2.13	ppm	2.00		106	50-150		
Spinosad	2.05	ppm	2.00		103	50-150		
Spiromesifen	1.96	ppm	2.02		97.1	60-120		
Spirotetramat	2.09	ppm	2.00		105	60-120		
Spiroxamine	2.12	ppm	2.00		106	60-120		
Tebuconazole	2.09	ppm	2.00		104	60-120		
Thiacloprid	2.04	ppm	2.00		102	60-120		
Thiamethoxam	2.27	ppm	2.02		112	60-120		
Trifloxystrobin	2.02	ppm	2.00		101	60-120		

Matrix Spike(B263143-MS1)			Extracted - 09/21/26 14:45 Analyzed - 09/21/26 19:18					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Abamectin	2.27	ppm	1.72	< LOQ	132	30-200		
Acephate	1.80	ppm	1.76	< LOQ	102	30-200		
Acequinocyl	1.79	ppm	1.76	< LOQ	101	30-200		
Acetamiprid	1.68	ppm	1.76	< LOQ	95.1	30-200		
Aldicarb	1.49	ppm	1.78	< LOQ	83.5	30-200		
Azoxystrobin	1.74	ppm	1.76	< LOQ	98.9	30-200		
Bifenazate	1.82	ppm	1.76	< LOQ	103	30-200		
Bifenthrin	1.58	ppm	1.76	< LOQ	89.7	30-200		
Boscalid	1.62	ppm	1.76	< LOQ	91.8	30-200		
Carbaryl	1.94	ppm	1.76	< LOQ	110	30-200		
Carbofuran	1.85	ppm	1.76	< LOQ	105	30-200		
Chlorantraniliprole	2.28	ppm	1.78	< LOQ	128	30-200		
Chlorfenapyr	1.64	ppm	1.76	< LOQ	93.1	30-200		
Chlorpyrifos	1.63	ppm	1.76	< LOQ	92.3	30-200		
Clofentezine	1.70	ppm	1.78	< LOQ	95.3	30-200		
Cyfluthrin	2.04	ppm	1.76	< LOQ	116	30-200		


 Cecilia Condes For Breeanna
 Hamilton
 Lab Director


These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2016 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control

Pesticide Analysis (Continued)

Batch: B263143 - Pesticide Prep (Continued)

Matrix Spike(B263143-MS1)			Extracted - 09/21/26 14:45 Analyzed - 09/21/26 19:18					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Cypermethrin	2.07	ppm	1.76	< LOQ	118	30-200		
Daminozide	1.03	ppm	1.78	< LOQ	57.9	30-200		
DDVP (Dichlorvos)	1.78	ppm	1.76	< LOQ	101	30-200		
Diazinon	1.66	ppm	1.76	< LOQ	94.0	30-200		
Dimethoate	1.62	ppm	1.76	< LOQ	92.1	30-200		
Ethoprophos	1.69	ppm	1.76	< LOQ	95.9	30-200		
Etofenprox	1.65	ppm	1.76	< LOQ	93.7	30-200		
Etoxazole	1.81	ppm	1.76	< LOQ	102	30-200		
Fenoxycarb	1.92	ppm	1.76	< LOQ	109	30-200		
Fenpyroximate	2.45	ppm	1.76	< LOQ	139	30-200		
Fipronil	1.63	ppm	1.78	< LOQ	91.8	30-200		
Flonicamid	1.90	ppm	1.78	< LOQ	107	30-200		
Fludioxonil	1.58	ppm	1.76	< LOQ	89.5	30-200		
Hexythiazox	2.13	ppm	1.76	< LOQ	121	30-200		
Imazalil	1.79	ppm	1.76	< LOQ	101	30-200		
Imidacloprid	1.79	ppm	1.76	< LOQ	102	30-200		
Kresoxim-methyl	1.80	ppm	1.76	< LOQ	102	30-200		
Malathion	1.74	ppm	1.76	< LOQ	98.4	30-200		
Metalaxyl	1.93	ppm	1.76	< LOQ	109	30-200		
Methiocarb	1.68	ppm	1.76	< LOQ	95.0	30-200		
Methomyl	1.61	ppm	1.76	< LOQ	91.3	30-200		
Methyl parathion	1.84	ppm	1.78	< LOQ	103	30-200		
MGK-264	1.83	ppm	1.76	< LOQ	104	30-200		
Myclobutanil	1.69	ppm	1.76	< LOQ	95.7	30-200		
Naled	2.01	ppm	1.76	< LOQ	114	30-200		
Oxamyl	1.80	ppm	1.76	< LOQ	102	30-200		
Paclobutrazol	1.73	ppm	1.78	< LOQ	97.0	30-200		
Permethrins (total)	2.10	ppm	1.76	< LOQ	119	30-200		
Phosmet	2.00	ppm	1.76	< LOQ	114	30-200		
Piperonyl butoxide	1.74	ppm	1.76	< LOQ	98.6	30-200		
Prallethrin	2.09	ppm	1.78	< LOQ	118	30-200		
Propiconazole	1.85	ppm	1.76	< LOQ	105	30-200		
Propoxur	1.82	ppm	1.76	< LOQ	103	30-200		
Pyrethrins (total)	1.39	ppm	1.08	< LOQ	129	30-200		
Pyridaben	1.28	ppm	1.76	< LOQ	72.5	30-200		


 Cecilia Condes For Breeanna
 Hamilton
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2016 Standard and SC Laboratories quality assurance plan unless otherwise noted.


Quality Control

Pesticide Analysis (Continued)

Batch: B263143 - Pesticide Prep (Continued)

Matrix Spike(B263143-MS1)			Extracted - 09/21/26 14:45 Analyzed - 09/21/26 19:18					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Spinosad	1.80	ppm	1.76	< LOQ	102	30-200		
Spiromesifen	1.49	ppm	1.78	< LOQ	83.6	30-200		
Spirotetramat	2.55	ppm	1.76	< LOQ	145	30-200		
Spiroxamine	1.74	ppm	1.76	< LOQ	98.4	30-200		
Tebuconazole	1.87	ppm	1.76	< LOQ	106	30-200		
Thiacloprid	1.81	ppm	1.76	< LOQ	103	30-200		
Thiamethoxam	1.95	ppm	1.78	< LOQ	109	30-200		
Trifloxystrobin	1.80	ppm	1.76	< LOQ	102	30-200		

Matrix Spike Dup(B263143-MSD1)			Extracted - 09/21/26 14:45 Analyzed - 09/21/26					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Abamectin	2.38	ppm	1.74	< LOQ	137	30-200	3.34	30
Acephate	1.82	ppm	1.79	< LOQ	102	30-200	0.0603	30
Acequinocyl	1.71	ppm	1.79	< LOQ	95.9	30-200	5.44	35
Acetamiprid	1.76	ppm	1.79	< LOQ	98.4	30-200	3.42	30
Aldicarb	1.65	ppm	1.80	< LOQ	91.4	30-200	9.06	30
Azoxystrobin	1.71	ppm	1.79	< LOQ	96.0	30-200	2.98	30
Bifenazate	1.78	ppm	1.79	< LOQ	99.6	30-200	3.33	30
Bifenthrin	1.58	ppm	1.79	< LOQ	88.5	30-200	1.31	30
Boscalid	1.67	ppm	1.79	< LOQ	93.7	30-200	2.00	30
Carbaryl	1.82	ppm	1.79	< LOQ	102	30-200	7.90	30
Carbofuran	1.81	ppm	1.79	< LOQ	101	30-200	3.23	30
Chlorantraniliprole	2.19	ppm	1.80	< LOQ	121	30-200	5.50	30
Chlorfenapyr	1.56	ppm	1.79	< LOQ	87.5	30-200	6.18	50
Chlorpyrifos	1.63	ppm	1.79	< LOQ	91.5	30-200	0.880	30
Clofentezine	1.71	ppm	1.80	< LOQ	94.7	30-200	0.583	30
Cyfluthrin	2.07	ppm	1.78	< LOQ	116	30-200	0.0991	50
Cypermethrin	2.18	ppm	1.78	< LOQ	122	30-200	3.71	30
Daminozide	1.10	ppm	1.80	< LOQ	60.9	30-200	4.95	30
DDVP (Dichlorvos)	1.64	ppm	1.79	< LOQ	91.9	30-200	9.43	30
Diazinon	1.67	ppm	1.79	< LOQ	93.7	30-200	0.298	30
Dimethoate	1.69	ppm	1.79	< LOQ	94.9	30-200	2.96	30
Ethoprophos	1.72	ppm	1.79	< LOQ	96.2	30-200	0.265	30
Etofenprox	1.65	ppm	1.79	< LOQ	92.6	30-200	1.20	30
Etoxazole	1.80	ppm	1.79	< LOQ	101	30-200	1.86	30


 Cecilia Condes For Breeanna
 Hamilton
 Lab Director


These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2016 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control

Pesticide Analysis (Continued)

Batch: B263143 - Pesticide Prep (Continued)

Matrix Spike Dup(B263143-MSD1)			Extracted - 09/21/26 14:45 Analyzed - 09/21/26					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Fenoxycarb	1.94	ppm	1.79	< LOQ	109	30-200	0.176	30
Fenpyroximate	2.47	ppm	1.79	< LOQ	138	30-200	0.444	30
Fipronil	1.68	ppm	1.80	< LOQ	93.3	30-200	1.63	30
Flonicamid	2.11	ppm	1.80	< LOQ	117	30-200	9.20	30
Fludioxonil	1.62	ppm	1.79	< LOQ	91.0	30-200	1.61	50
Hexythiazox	2.09	ppm	1.79	< LOQ	117	30-200	3.23	30
Imazalil	1.72	ppm	1.79	< LOQ	96.6	30-200	4.80	30
Imidacloprid	1.83	ppm	1.79	< LOQ	103	30-200	0.959	30
Kresoxim-methyl	1.83	ppm	1.79	< LOQ	102	30-200	0.0370	30
Malathion	1.72	ppm	1.79	< LOQ	96.1	30-200	2.40	30
Metalaxyl	1.86	ppm	1.79	< LOQ	104	30-200	5.12	30
Methiocarb	1.73	ppm	1.79	< LOQ	96.7	30-200	1.70	30
Methomyl	1.68	ppm	1.79	< LOQ	94.0	30-200	2.93	30
Methyl parathion	1.73	ppm	1.80	< LOQ	95.9	30-200	7.33	30
MGK-264	1.85	ppm	1.79	< LOQ	104	30-200	0.279	30
Myclobutanil	1.67	ppm	1.79	< LOQ	93.6	30-200	2.17	30
Naled	2.00	ppm	1.79	< LOQ	112	30-200	2.18	30
Oxamyl	1.72	ppm	1.79	< LOQ	96.3	30-200	5.86	30
Paclobutrazol	1.73	ppm	1.80	< LOQ	95.8	30-200	1.29	30
Permethrins (total)	1.99	ppm	1.79	< LOQ	112	30-200	6.36	30
Phosmet	1.91	ppm	1.79	< LOQ	107	30-200	6.20	30
Piperonyl butoxide	1.70	ppm	1.79	< LOQ	95.1	30-200	3.60	30
Prallethrin	2.02	ppm	1.80	< LOQ	112	30-200	4.67	30
Propiconazole	1.84	ppm	1.79	< LOQ	103	30-200	1.48	30
Propoxur	1.78	ppm	1.79	< LOQ	99.9	30-200	3.06	30
Pyrethrins (total)	1.40	ppm	1.09	< LOQ	129	30-200	0.541	30
Pyridaben	1.32	ppm	1.79	< LOQ	74.0	30-200	2.00	30
Spinosad	1.75	ppm	1.79	< LOQ	97.8	30-200	4.34	30
Spiromesifen	1.41	ppm	1.80	< LOQ	78.4	30-200	6.42	30
Spirotetramat	2.52	ppm	1.79	< LOQ	141	30-200	2.72	30
Spiroxamine	1.68	ppm	1.79	< LOQ	94.2	30-200	4.45	30
Tebuconazole	1.81	ppm	1.79	< LOQ	101	30-200	4.72	30
Thiacloprid	1.88	ppm	1.79	< LOQ	105	30-200	2.78	30
Thiamethoxam	1.98	ppm	1.80	< LOQ	110	30-200	0.564	30
Trifloxystrobin	1.75	ppm	1.79	< LOQ	98.2	30-200	4.15	30


 Cecilia Condes For Breeanna
 Hamilton
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2016 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control Mycotoxin Analysis

Batch: B263144 - Mycotoxin Prep

Blank(B263144-BLK1)			Extracted - 09/21/26 14:45 Analyzed - 09/21/26 18:46					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Ochratoxin A	< LOQ	ppm						
Aflatoxin G2	< LOQ	ppm						
Aflatoxin G1	< LOQ	ppm						
Aflatoxin B2	< LOQ	ppm						
Aflatoxin B1	< LOQ	ppm						
Aflatoxins (Total)	< LOQ	ppm						

LCS(B263144-BS1)			Extracted - 09/21/26 14:45 Analyzed - 09/21/26 19:02					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Ochratoxin A	0.22	ppm	0.200		109	60-120		
Aflatoxin G2	0.10	ppm	0.0984		105	60-120		
Aflatoxin G1	0.10	ppm	0.0984		103	60-120		
Aflatoxin B2	0.09	ppm	0.0988		90.4	60-120		
Aflatoxin B1	0.12	ppm	0.120		102	60-120		

Matrix Spike(B263144-MS1)			Extracted - 09/21/26 14:45 Analyzed - 09/21/26 19:18					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Ochratoxin A	0.17	ppm	0.176	< LOQ	96.1	30-200		
Aflatoxin G2	0.08	ppm	0.0867	< LOQ	93.4	30-200		
Aflatoxin G1	0.09	ppm	0.0867	< LOQ	109	30-200		
Aflatoxin B2	0.07	ppm	0.0871	< LOQ	78.3	30-200		
Aflatoxin B1	0.11	ppm	0.105	< LOQ	104	30-200		

Matrix Spike Dup(B263144-MSD1)			Extracted - 09/21/26 14:45 Analyzed - 09/21/26					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Ochratoxin A	0.18	ppm	0.179	< LOQ	98.6	30-200	2.64	30
Aflatoxin G2	0.08	ppm	0.0879	< LOQ	85.6	30-200	8.71	30
Aflatoxin G1	0.09	ppm	0.0879	< LOQ	102	30-200	6.83	30
Aflatoxin B2	0.07	ppm	0.0882	< LOQ	74.4	30-200	5.06	30
Aflatoxin B1	0.10	ppm	0.107	< LOQ	96.4	30-200	8.01	30

Batch: B263145 - Metals Prep

Blank(B263145-BLK1)			Extracted - 09/21/26 13:54 Analyzed - 09/22/26 12:38					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit



Cecilia Condes For Breeanna
 Hamilton
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2016 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control

Metals Analysis (Continued)


Batch: B263145 - Metals Prep (Continued)

Blank(B263145-BLK1)			Extracted - 09/21/26 13:54 Analyzed - 09/22/26 12:38					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Mercury (Hg)	< LOQ	ug/g						
Arsenic (As)	< LOQ	ug/g						
Cadmium (Cd)	< LOQ	ug/g						
Lead (Pb)	< LOQ	ug/g						

LCS(B263145-BS1)			Extracted - 09/21/26 13:54 Analyzed - 09/22/26 12:42					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Mercury (Hg)	0.043	ug/g	0.0400		106	80-115		
Arsenic (As)	0.416	ug/g	0.400		104	80-115		
Cadmium (Cd)	0.386	ug/g	0.400		96.6	80-115		
Lead (Pb)	0.399	ug/g	0.400		99.7	80-115		

Matrix Spike(B263145-MS1)			Extracted - 09/21/26 13:54 Analyzed - 09/22/26 12:45					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Mercury (Hg)	0.039	ug/g	0.0377	0.003	95.3	70-130		
Arsenic (As)	0.481	ug/g	0.377	0.040	117	70-130		
Cadmium (Cd)	0.501	ug/g	0.377	0.146	94.4	70-130		
Lead (Pb)	0.360	ug/g	0.377	< LOQ	95.6	70-130		

Matrix Spike Dup(B263145-MSD1)			Extracted - 09/21/26 13:54 Analyzed - 09/22/26					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Mercury (Hg)	0.034	ug/g	0.0307	0.003	100	70-130	14.2	30
Arsenic (As)	0.408	ug/g	0.307	0.040	120	70-130	16.4	30
Cadmium (Cd)	0.400	ug/g	0.307	0.146	82.6	70-130	22.6	30
Lead (Pb)	0.305	ug/g	0.307	< LOQ	99.3	70-130	16.6	30


 Cecilia Condes For Breeanna
 Hamilton
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2016 Standard and SC Laboratories quality assurance plan unless otherwise noted.